

FIRE EQUIPMENT CABINETS

SRI 



FIRE EXTINGUISHER CABINET

INDOOR FIRE EXTINGUISHER CABINET



TECHNICAL SPECIFICATION

Thickness	0.9mm
Installation	Wall Mounted
Paint Finish	Epoxy Powder Red

Code No.	Description	Size	Material
FEX146-MS-025-RD	2.5kg Box	225.0mm (W) x 560.0mm (H) x 150.0mm (D)	Mild Steel
FEX146-MS-045-RD	4.0kg Box	280.0mm (W) x 546.0mm (H) x 203.0mm (D)	Mild Steel
FEX146-MS-090-RD	9.0kg Box	280.0mm (W) x 710.0mm (H) x 260.0mm (D)	Mild Steel
FEX146-MS-050-RD	5.0kg Box	280.0mm (W) x 830.0mm (H) x 260.0mm (D)	Mild Steel
FEX146-SS-090-NA	9.0kg Box	280.0mm (W) x 710.0mm (H) x 260.0mm (D)	Stainless Steel

OUTDOOR FIRE EXTINGUISHER CABINET

TECHNICAL SPECIFICATION

Thickness	0.9mm
Installation	Wall Mounted
Paint Finish	Epoxy Powder Red

Code No.	Description	Size	Material
FEX149-SS-060-NA	6.0kg Box	280.0mm (W) x 570.0mm (H) x 250.0mm (D)	Stainless Steel
FEX149-SS-090-NA	9.0kg Box	280.0mm (W) x 690.0mm (H) x 250.0mm (D)	Stainless Steel
FEX149-MS-060-RD	6.0kg Box	280.0mm (W) x 570.0mm (H) x 250.0mm (D)	Mild Steel
FEX149-MS-090-RD	9.0kg Box	280.0mm (W) x 690.0mm (H) x 250.0mm (D)	Mild Steel
FEX149-MS-050-RD	5.0kg Box	280.0mm (W) x 830.0mm (H) x 250.0mm (D)	Mild Steel



Optional: Electrolytic Galvanised (EG) or stainless steel material available on request.

The products specified in this brochure are subject to continual development and improvement. Information in this brochure is subject to alteration without notice. All dimensions in mm unless otherwise specified.

HOSE CABINET



MODEL A HOSE CABINET

TECHNICAL SPECIFICATION	
Dimension	800.0mm (W) x 1000.0mm (H) x 300.0mm (D)
Material	Mild Steel
Thickness	1.2mm
Installation	Wall Mounted
Capacity	1 No Landing Valve 1 No Hose Reel 1 No 2-1/2" x 30m Hose
Paint Finish	Epoxy Powder Red
Code No.	WRS087-MS-MA-RED



MODEL B HOSE CABINET

TECHNICAL SPECIFICATION	
Dimension	900.0mm (W) x 1100.0mm (H) x 300.0mm (D)
Material	Mild Steel
Thickness	1.2mm
Installation	Wall Mounted
Capacity	1-1/2" or 2-1/2" Hose Rack Assembly
Paint Finish	Epoxy Powder Red
Code No.	WRS087-MS-MB-RED



MODEL C HOSE CABINET

TECHNICAL SPECIFICATION	
Dimension	560.0mm (W) x 1163.0mm (H) x 300.0mm (D)
Material	Mild Steel
Thickness	0.9mm
Installation	Floor Mounted
Capacity	2 Noz Diffuser Nozzle 2 Length of Hose 2-1/2" x 30m
Paint Finish	Epoxy Powder Red
Code No.	HYD071-MS-MC-RED



MODEL D HOSE CABINET

TECHNICAL SPECIFICATION	
Dimension	590.0mm (W) x 610.0mm (H) x 340.0mm (D)
Material	Mild Steel
Thickness	0.9mm
Installation	Wall Mounted
Capacity	2 Noz Diffuser Nozzle 2 Length of Hose 2-1/2" x 30m
Paint Finish	Epoxy Powder Red
Code No.	HYD071-MS-MD-RED

MODEL E HOSE CABINET

TECHNICAL SPECIFICATION	
Dimension	900.0mm (W) x 750.0mm (H) x 500.0mm (D)
Material	Mild Steel
Thickness	1.5mm
Installation	Floor Mounted
Capacity	2 Noz Fire Extinguisher 9.0kg 2 Noz 2-1/2" x 30m Canvas Hose 2 Noz Diffuser Nozzle 1 No Diving Breaching
Paint Finish	Epoxy Powder Red
Code No.	HYD085-MS-ME-RED



Optional: Electrolytic Galvanised (EG) or stainless steel material available on request.

The products specified in this brochure are subject to continual development and improvement. Information in this brochure is subject to alteration without notice. All dimensions in mm unless otherwise specified.



2 WAY BREECHING INLET CABINET

TECHNICAL SPECIFICATION	
Dimension	295.0mm x 295.0mm x 295.0mm
Material	Mild Steel
Thickness	0.9mm
Glass	Wire Meshed Reinforcement
Installation	Recess Mounted
Paint Finish	Epoxy Powder Red
Manufacture	BS 5041 Part 3
Code No.	DRS096-MS-STD-8D



4 WAY BREECHING INLET CABINET

TECHNICAL SPECIFICATION	
Dimension	295.0mm x 295.0mm x 295.0mm
Material	Mild Steel
Thickness	0.9mm
Glass	Wire Meshed Reinforcement
Installation	Recess Mounted
Paint Finish	Epoxy Powder Red
Manufacture	BS 5041 Part 3
Code No.	WRS116-MS-004-8D



TELEPHONE BOX

TECHNICAL SPECIFICATION	
Dimension	180.0mm (W) x 360.0mm (H) x 105.0mm (D)
Material	Mild Steel
Thickness	0.9mm
Installation	Wall Mounted / Recessed
Paint Finish	Epoxy Powder Red
Code No.	Type
FCS016-MS-SUB-8D	Surface Cover
FCS013-MS-FLH-8D	Flush Cover



SPRINKLER BOX

TECHNICAL SPECIFICATION	
Dimension	152.0mm (W) x 180.0mm (H) x 104.0mm (D)
Material	Mild Steel
Capacity	24 No. Sprinkler head
Thickness	0.9mm
Installation	Wall Mounted
Paint Finish	Epoxy Powder Red
Code No.	SPE175-MS-STD-8D



Model A

Model B

NOZZLE BOX

TECHNICAL SPECIFICATION		
	Model A	Model B
Dimension	210.0mm (W) x 210.0mm (H) x 140.0mm (D)	122.0mm (W) x 122.0mm (H) x 60.0mm (D)
Capacity	1 No. Gate Valve and 1 No. Nozzle	1 No. Nozzle
Thickness	0.9mm	
Installation	Wall Mounted	
Paint Finish	Epoxy Powder Red	
Material	Mild Steel	
Code No.	HRS071-MS-STD-8D	HRS048-MS-STD-8D

Optional: Electrolytic Galvanised (EG) or stainless steel material available on request.


The products specified in this brochure are subject to continual development and improvement. Information in this brochure is subject to alteration without notice. All dimensions in mm unless otherwise specified.



MODEL D DOUBLE COMPARTMENT HOSE REEL CABINET

TECHNICAL SPECIFICATION	
Material	Mild Steel
Thickness	1.2mm
Installation	Wall Mounted / Recessed
Capacity	Manual or Automatic Swing Type Hose Reel
	Inlet 1"OD or 3/4"OD Hose, 1 No Fire Extinguisher 9kg
Paint Finish	Epoxy Powder Red
Overall Dimension	1050.0mm (W) x 800.0mm (H) x A (Depth)

Code No.	Type	Dimension A (Depth)
HRS003-MS-250-ED	Wall Mounted	250
HRS003-MS-400-ED	Wall Mounted	400
HRS006-MS-250-RD	Recessed	250
HRS006-MS-400-RD	Recessed	400



MODEL E HOSE REEL CABINET

TECHNICAL SPECIFICATION	
Material	Mild Steel
Thickness	1.2mm
Installation	Wall Mounted / Recessed
Capacity	Manual or Automatic Swing Type Hose Reel (22" or 19" Drum)
	3/4"OD or 1"OD Hose
Paint Finish	Epoxy Powder Red
Overall Dimension	700.0mm (W) x 800.0mm (H) x A (Depth)

Code No.	Type	Dimension A (Depth)
HRS047-MS-400-ED	Surface Mounted	400
HRS047-MS-250-ED	Surface Mounted	250
HRS046-MS-400-RD	Recessed	400
HRS046-MS-250-RD	Recessed	250



MODEL F HOSE REEL CABINET

TECHNICAL SPECIFICATION	
Material	Mild Steel
Thickness	0.8mm
Installation	Wall Mounted
Capacity	Swing Type Hose Reel (22" Drum)
	3/4"OD or 1"OD Hose
Paint Finish	Epoxy Powder Red
Hose Reel Mounting	Hose Reel mounting against back wall

Code No.	Dimension
HRS045-MS-750-ED	750.0mm (W) x 750.0mm (H) x 300.0mm (D)
HRS045-MS-800-ED	800.0mm (W) x 800.0mm (H) x 300.0mm (D)



MODEL G HOSE REEL & FIRE EXTINGUISHER CABINET ARCHITRAVE

TECHNICAL SPECIFICATION	
Thickness	1.2mm
Installation	Recessed
Capacity	1 No Fire Extinguisher & 1 No Swing Hose Reel
Paint Finish	Epoxy Powder Red
Overall Dimension	1050.0mm (W) x 800.0mm (H)
Recessed Wall Opening Dimension	1015.0mm (W) x 765.0mm (H)

Code No.	Material
HRS010-MS-MG-ED	Mild Steel
HRS010-SS-MG-NA	Stainless Steel



MODEL H HOSE REEL CABINET ARCHITRAVE

TECHNICAL SPECIFICATION	
Thickness	1.2mm
Installation	Recessed
Capacity	1 No Swing Hose Reel
Paint Finish	Epoxy Powder Red
Overall Dimension	700.0mm (W) x 800.0mm (H)
Recessed Wall Opening Dimension	665.0mm (W) x 765.0mm (H)

Code No.	Material
HRS009-MS-MH-ED	Mild Steel
HRS009-SS-MH-NA	Stainless Steel

Optional: Electrolytic Galvanised (EG) or stainless steel material available on request.

The products specified in this brochure are subject to continual development and improvement. Information in this brochure is subject to alteration without notice. All dimensions in mm unless otherwise specified.



MODEL A DOUBLE COMPARTMENT HOSE REEL CABINET

TECHNICAL SPECIFICATION	
Overall Dimension	740.0mm (W) x 1540.0mm (H) x A (Depth)
Material	Mild Steel
Thickness	1.5mm
Installation	Wall Mounted / Recessed
Capacity	Manual or Automatic swing Hose Reel 3/4" or 1" & 2pcs Fire Extinguisher
Paint Finish	Epoxy Powder Red / White

Code No.	Type	Dimension A (Depth)
HRS007-MS-400-RD	Surface Mounted	400
HRS007-MS-250-RD	Surface Mounted	250
HRS008-MS-400-RD	Recessed	400
HRS008-MS-250-RD	Recessed	250



MODEL B DOUBLE COMPARTMENT PIVOT TYPE HOSE REEL CABINET

TECHNICAL SPECIFICATION	
Overall Dimension	740.0mm (W) x 1540.0mm (H) x A (Depth)
Material	Mild Steel
Thickness	1.5mm
Installation	Surface Mounted / Recessed
Capacity	Manual or Automatic Fixed Type Hose Reel 3/4" or 1" 2pcs Fire Extinguisher
Paint Finish	Epoxy Powder Red / White

Code No.	Type	Dimension A (Depth)
HRS002-MS-420-WH	Surface Mounted (19" Drum)	420
HRS002-MS-450-WH	Surface Mounted (22" Drum)	450
HRS005-MS-420-WH	Recessed (19" Drum)	420
HRS005-MS-450-WH	Recessed (22" Drum)	450




MODEL C SINGLE COMPARTMENT PIVOT TYPE HOSE REEL CABINET

TECHNICAL SPECIFICATION	
Material	Mild Steel
Thickness	1.2mm
Installation	Surface Mounted / Recessed
Capacity	Manual or Automatic Hose Reel Fixed Type 3/4" or 1" Hose up to 30m
Paint Finish	Epoxy Powder Red or White
Overall Dimension	740mm (W) x 790mm (H) x A (Depth)

Code No.	Type	Dimension A (Depth)
HRS004-MS-420-WH	Surface Mounted (19" Drum)	420
HRS004-MS-450-WH	Surface Mounted (22" Drum)	450
HRS001-MS-420-WH	Recessed (19" Drum)	420
HRS001-MS-450-WH	Recessed (22" Drum)	450

Optional: Electrolytic Galvanised (EG) or stainless steel material available on request.

The products specified in this brochure are subject to continual development and improvement. Information in this brochure is subject to alteration without notice. All dimensions in mm unless otherwise specified.



HOSE REEL FIRE CABINET

DIMENSIONS IN Cm



